

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	1	modif\$4 near4 ATAPI with (extend\$3 or specif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 12:53
S5	4	modif\$4 near4 ATAPI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 12:54
S6	3	ATAPI same reserv\$4 bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 13:01
S8	144	modif\$4 with (command or packet) with (expansion or expand\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 13:22
S9	2	modif\$4 with (command or packet) with (expansion or expand\$3) with (ide or ata or sata or scsi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 13:24
S10	3	modif\$4 with operation code with (ide or ata or sata or scsi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 13:26
S11	70	modif\$4 with (ide or ata or sata or scsi) (packet or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 13:29

EAST Search History

S12	1	(modif\$4 or chang\$3 or replac\$3 or substitut\$3) with (ide or ata or sata or scsi) (packet or command) with operation code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 13:30
S13	1	(modif\$4 or chang\$3 or replac\$3 or substitut\$3) with (ide or ata or sata or scsi) (packet or command) same operation code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:14
S14	42	vendor\$1specific with (ide or ata or sata or scsi) (packet or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 14:07
S15	2	vendor\$1specific with (expand\$4 or extend\$3 or expansion) same (ide or ata or sata or scsi) (packet or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 14:11
S17	0	operation code with (expand\$4 or extend\$3 or expansion) same (ide or ata or sata or scsi or iscsi) (packet or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 14:10
S18	0	operation code with (expand\$4 or extend\$3 or expansion) same (ide or ata or sata or scsi or iscsi) (packet or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 14:11
S19	6	vendor\$1specific with (expand\$4 or extend\$3 or expansion) and (ide or ata or sata or scsi) (packet or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 14:15

EAST Search History

S20	8	(expand\$4 or extend\$3 or expansion) device with (ide or ata or sata or scsi) (packet or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 14:54
S21	1	"5202979".PN.	USPAT; USOCR	NEAR	ON	2007/10/31 14:43
S22	1	"5239632".PN.	USPAT; USOCR	NEAR	ON	2007/11/01 13:56
S23	1	"5274783".PN.	USPAT; USOCR	NEAR	ON	2007/10/31 14:46
S24	1	"5564026".PN.	USPAT; USOCR	NEAR	ON	2007/10/31 14:48
S25	3	(expand\$4 or extend\$3 or expansion) device with (atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 14:56
S27	0	(expand\$4 or extend\$3 or expansion) near5 device with reserv\$3 bit same (atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 14:57
S28	0	(id or identification or identifier or identity or identif\$4) near5 device with (reserv\$3 or vendor\$1specific or control or operation) bit same (scsi or ide or ata or sata or iscsi or atapi) (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:00
S29	12	(id or identification or identifier or identity or identif\$4) near5 device with (reserv\$3 or vendor\$1specific or control or operation) bit and (scsi or ide or ata or sata or iscsi or atapi) (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:00
S30	14	(id or identification or identifier or identity or identif\$4 or address) near5 device with (reserv\$3 or vendor\$1specific or control or operation) bit and (scsi or ide or ata or sata or iscsi or atapi) (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:03

EAST Search History

S31	82	(id or identification or identifier or identity or identif\$4 or address) with (reserv\$3 or vendor\$1specific or control or operation) bit and (scsi or ide or ata or sata or iscsi or atapi) (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:03
S32	44	(id or identification or identifier or identity or identif\$4 or address) with (reserv\$3 or vendor\$1specific or operation) bit and (scsi or ide or ata or sata or iscsi or atapi) (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:07
S33	18	(id or identification or identifier or identity or identif\$4 or address) with (reserv\$3 or vendor\$1specific or operation) bit and atapi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:07
S34	129	(modif\$4 or chang\$3 or replac\$3 or substitut\$3) with (atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:20
S35	4	(modif\$4 or chang\$3) with (atapi) near4 task file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:23
S36	0	(convert\$3 or translat\$3) with (atapi) near4 task file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:23
S37	229	(convert\$3 or translat\$3) with (atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:10

EAST Search History

S38	0	(convert\$3 or translat\$3) with (atapi) with lun	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:24
S39	8	(convert\$3 or translat\$3) with (atapi) with (address or id or identifier or identif\$5 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:28
S40	18	(convert\$3 or translat\$3) with (address or id or identifier or identif\$5 or identification) same (atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:41
S41	229	(convert\$3 or translat\$3) with (atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 10:24
S42	29	(convert\$3 or translat\$3) with (atapi) and (adapter or expan\$4 or extender) with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/10/31 15:49
S43	15	(convert\$3 or translat\$3) with (atapi) same (adapter or expander or expansion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 10:30
S44	2	"6006295".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 10:31

EAST Search History

S45	3	modif\$4 near3 (ATAPI or ata or sata) (packet or command or frame or field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 10:37
S46	7	(lun or lba) near3 (ATAPI or ata or sata) (packet or command or frame or field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:51
S47	18	(pc or computer or host) near5 (convert\$3 or translat\$3) near3 (ATAPI or ata or sata) (packet or command or frame or field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 10:42
S48	13	(pc or computer or host) near5 (convert\$3 or translat\$3) with (ATAPI or ata or sata) (packet or command or frame or field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 10:48
S49	84	(ATAPI or ata or sata) (packet or command or frame or field) with (address or id or identifier or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 10:49
S50	32	(ATAPI) (packet or command or frame or field) with (address or id or identifier or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 11:31
S51	38	(ATAPI) (packet or command or frame or field) and (operation code or vendor\$1specific)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 12:31

EAST Search History

S52	2	"20030084221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 12:41
S53	126	register with task file same (ide or ata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 12:42
S54	139	register with task file same (ide or ata or atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 12:44
S55	30	(lun or unit number or id or identifier or address or identification) with register with task file same (ide or ata or atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 13:44
S56	0	(lun or unit number) with register with task file and (ide or ata or atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 13:44
S58	1	(lun or unit number) with task file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:44
S59	1	"5202979".PN.	USPAT; USOCR	NEAR	ON	2007/11/01 13:58
S61	177	reserv\$3 bit with (extend\$3 or expand\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:18

EAST Search History

S62	10	scsi (field or command or packet) with (lun or logical unit number) with (translat\$3 or convert\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:23
S63	2	scsi (field or command or packet) with (extend\$3 or expand\$3 or expansion or adapter) with (operation code or vendor\$1specific)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:24
S64	73	scsi (field or command or packet) with (operation code or vendor\$1specific)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:34
S65	1163	(lun or lun unit number) with (replac\$3 or chang\$3 or substitut\$3 or convert\$3 or translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:46
S66	9	(lun or lun unit number) with (replac\$3 or chang\$3 or substitut\$3 or convert\$3 or translat\$3) with (scsi or sata) (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:47
S67	0	(operation code) with (expansion or expander) same (ide or ata or scsi or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:52
S68	124	(bit) with (expansion or expander) same (ide or ata or scsi or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:11

EAST Search History

S69	3	(reserv\$3 bit) with (expansion or expander) same (ide or ata or scsi or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:54
S70	0	(reserv\$3 bit) with (adapter) same (ide or ata or scsi or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:55
S71	195	(lun or logical unit number) with (convert\$3 or translat\$3) and scsi (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 14:56
S72	20	(lun or logical unit number) with (convert\$3 or translat\$3) same scsi (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 17:11
S73	82	(lun or logical unit number) with (convert\$3 or translat\$3 or map\$4) and (serial ata or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:02
S74	10	(lun or logical unit number) with (convert\$3 or translat\$3 or map\$4) with virtual and (serial ata or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 17:12
S77	221	vendor\$1specific with specif\$4 near3 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 17:48

EAST Search History

S78	5	vendor\$1specific with (specify or specifies) near3 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:31
S79	52	vendor\$1specific with (specify or specifies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 17:58
S80	13	vendor\$1specific bit with (specify or specifies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 17:59
S81	20	vendor\$1specific bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 18:01
S82	640	operation code bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 18:01
S83	119	operation code bit with (identif\$3 or specif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/01 18:02
S84	22	(lun or logical unit number) with (convert\$3 or translat\$3 or map\$4) and (serial ata or sata) same virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:08

EAST Search History

S85	5	host with (lun or logical unit number) with (convert\$3 or translat\$3 or map\$4) and (serial ata or sata) same virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:09
S86	31	host with (lun or logical unit number) with (convert\$3 or translat\$3 or map\$4) and (serial ata or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:09
S87	13	host with (lun or logical unit number) with (convert\$3 or translat\$3) and (serial ata or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:10
S88	1	virtual (lun or logical unit number) with (convert\$3 or translat\$3) and (serial ata or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:10
S89	15	virtual (lun or logical unit number) with (convert\$3 or translat\$3) and (serial ata or sata or scsi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:23
S90	1	virtual (lun or logical unit number) with (convert\$3 or translat\$3) and (serial ata or sata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:23
S91	196	(vendor\$1specific or operation code) with (virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:11

EAST Search History

S92	4	(vendor\$1specific or operation code) (bit or field) with (virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:36
S93	10	(op code) (bit or field) with (virtual\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:35
S94	4	(vendor\$1specific or operation code) (bit or field) with (virtual\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:36
S95	4	(vendor\$1specific or operation code) (bit or field or value) with (virtual\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:44
S96	1315	(serial ATA or SATA) with SCSI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:48
S97	13	(serial ATA or SATA) with SCSI with compatible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 12:51
S98	4	(serial ATA or SATA) with SCSI with equivalent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:33

EAST Search History

S99	44	SCSI with (optical with hard) drive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:35
S10 0	0	SCSI (adapter or expansion or expander) with (optical with hard) drive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:35
S10 1	6	SCSI same (adapter or expansion or expander) with (optical with hard) drive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:45
S10 2	0	virtual (SATA or serial ATA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:46
S10 3	35	virtual with (SATA or serial ATA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:50
S10 6	2	(SATA or serial ATA) same (vlun or logical unit number or lun) with convert\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:52
S10 8	3	(SATA or serial ATA) with (expander or expansion) with convert\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:54

EAST Search History

S109	.330	(convert\$3 or translat\$3) with (SATA or serial ATA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:11
S110	3	(convert\$3 or translat\$3) with (SATA or serial ATA) (packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 13:58
S111	62	(convert\$3 or translat\$3) (SATA or serial ATA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 14:17
S112	4	(convert\$3 or translat\$3) (SATA or serial ATA) (packet or frame or command or request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 14:20
S113	18	(convert\$3 or translat\$3) near4 (SATA or serial ATA) (packet or frame or command or request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 14:24
S114	25	(convert\$3 or translat\$3) with (SATA or serial ATA) (packet or frame or command or request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 14:27
S115	36	(convert\$3 or translat\$3) with (ATAPI) (packet or frame or command or request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/02 14:27

EAST Search History

S11 6	2	"20020199039".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 11:02
S11 7	55	(id or lun or vlun or adress or identity or identifier or identification) with task file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 11:16
S11 9	10	(id or lun or vlun or adress or identity or identifier or identification) with task file and (ide or ata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 12:59
S12 0	5	reserv\$3 with (operation code or vendor\$1specific) and (ATAPI or ATA packet interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 13:38
S12 1	100	(operation code or vendor\$1specific) and (ATAPI or ATA packet interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 13:39
S12 2	1	(operation code or vendor\$1specific) bit and (ATAPI or ATA packet interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 13:39
S12 3	27	(operation code or vendor\$1specific) bit and (SCSI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 13:45

EAST Search History

S12 4	51	reserv\$3 with (operation code or vendor\$1specific) and (SCSI or serial ATA or SATA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 13:47
S12 5	10	reserv\$3 with (operation code or vendor\$1specific) and (ATA or serial ATA or SATA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 13:52
S12 6	49	reserv\$3 with (operation code or vendor\$1specific) and (scsi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 15:08
S12 7	3	reserv\$3 with (operation code or vendor\$1specific) with new	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 17:20
S12 8	1	reserv\$3 with (operation code or opcode or vendor\$1specific) with new	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 17:20
S12 9	14	reserv\$3 with (operation code or opcode or vendor\$1specific) with new	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 17:24
S13 0	0	reserv\$3 with (operation code or opcode or vendor\$1specific) with new and (IDE or ATA or ATAPI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 17:21

EAST Search History

S13 1	14	reserv\$3 with (operation code or opcode or vendor\$1specific) with new	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 17:25
S13 2	2	reserv\$3 with (operation code or opcode or vendor\$1specific) with new and (sata or ATA or ATAPI or SCSI or IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 17:27
S13 3	97	reserv\$3 with (operation code or opcode or vendor\$1specific) and (sata or ATA or ATAPI or SCSI or IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:12
S13 4	43	reserv\$3 with (operation code or opcode or vendor\$1specific) and (sata or ATA or ATAPI or IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/05 17:27
S13 5	94	reserved (opcode or operation code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 12:00
S13 6	2	reserved (opcode or operation code) and ATA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 12:01
S13 7	10	710/305.ccls. and (convert\$3 or translat\$3) with (atapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:11

EAST Search History

S13 8	0	710/306.ccls. and (vendor\$1specific or operation code) with (virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:11
S13 9	4	710/305.ccls. and reserv\$3 with (operation code or opcode or vendor\$1specific) and (sata or ATA or ATAPI or SCSI or IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:11
S14 0	4	710/305.ccls. and (convert\$3 or translat\$3) with (SATA or serial ATA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:12
S14 1	3	710/306.ccls. and (convert\$3 or translat\$3) with (SATA or serial ATA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:12
S14 2	4	710/305.ccls. and reserv\$3 with (operation code or opcode or vendor\$1specific) and (sata or ATA or ATAPI or SCSI or IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:12
S14 3	2	710/306.ccls. and reserv\$3 with (operation code or opcode or vendor\$1specific) and (sata or ATA or ATAPI or SCSI or IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 13:12